Structured Analysis Network Printer System

컴퓨터 공학부

201211382 조상은 201211351 박현준 201210916 이찬형 201211336 김윤후 201560495 태나드리5 <u> — ІПВЕХ —</u>

1. Shahement of purpose

2. System Context Diagram

3. Edent List

4. DFD

- Data Dictionary
- Process Specification

#### 1. Statement of purpose


- 프린터는 다수의 사용자로부터 출력 요청을 받아 출력물을 만들어 낸다.
- 여러 사용자가 동시에 출력을 요청할 경우, 가장 먼저 온 순서대로 출력한다.
- 관리자에 의해 사용자 등록 및 삭제가 가능하다.
- 관리자는 현재 등록된 사용자를 확인할 수 있다.
- 용지 및 잉크가 부족할 경우 출력이 불가능하다.
   (프린터는 인쇄 전 용지 및 잉크의 잔량을 확인해 사용자에게 보여준다.)
- 프린터의 잉크는 출력하는 글자수에 비례해 줄어든다.
- 프린터의 종이 및 잉크는 관리자에 의해 충전된다.

#### 1. Statement of purpose

- 사용자로부터 프린트 요청 데이터를 입력 받는다.
- 프린터는 "\*.txt" 파일을 출력한다.
- 프린터의 출력 결과를 화면에 보여준다.
- 하드웨어 버튼을 통해 인쇄 중지 요청을 할 수 있다
- 인쇄 중 중지 요청이 들어오면 현재 인쇄중인 문서의 인쇄를 중단한다.


#### 2. System Context Diagram

#### **Basic System Context Diagram**



#### 2. System Context Diagram


#### **System Context Diagram**



## 3. Edent List

INPUT/OUTPUT EVENT LIST	Description
Admin	Register&delete user, Ink & pa per recharge EVENT
Print Request	Print information (page, contents, user information) EVENT
Stop Request	Check stop signal EVENT
Ink Sensor	Check Ink amount EVENT
Paper Sensor	Check paper amount EVENT
Screen	Show information on print scre en
Printer	Outputs print information requested

#### **DFD Level 0**




#### **Process Specification**

Reference No.	0
Name	Main control
Input	Print & stop &Admin request, Ink & paper amount,
Output	The state of print or stop. User's name, con text of Prints
Process Description	This is received 5 Data. In case of request of admin, this can register User, remove User, refill Ink & paper.  In case of Request of Print, this can identify user's information in User DB and send prints's information to printer.  In case of Request of Stop, this can stop printing prints  In case of Signal of Ink sensor and paper sensor, can check amount of Ink & paper

#### **Data Dictionary**

Data Name	Description	Format/Type
Admin request	Recive the data from the adminis tor's computer (delete/resist).	T/F , interrupt
Print info	It saves boolean data that chang ed the user's info and print request.	Double, String
Stop signal	Detects click of the stop button.	T/F, interrupt
Ink amount	Recive the ink's amount from the ink's sensor	0~3000, interrupt
Paper amount	Recive the ink's amount from the ink's sensor	0~100, interruput

#### **DFD Level 1**



## **Process Specification (1/2)**

Reference No.	1
Name	User &Printer Detection
Input	User info, Admin, Stop signal, Ink senso r, Paper sensor
Output	Data of Printer Request, User info, Stat e of print
Process Description	This can encode with the data from signal


#### **Process Specification (2/2)**

Reference No.	2
Name	Admin &Printer Control
Input	Data of P/R, U/I, P/S
Output	Show on the display of printer Print out prints on the paper. Show on the display of PC
Process Description	This control can show on display according to received data from detection or print the prints

#### **Data Dictionary**

Input & Output Event	Description
P/R & UI & P/S	Screen & Printer control sends the inform ation received from User & Printer Detect ion(Information is print request, user's inf o and printer status.)

#### **DFD Level 2**



## **Process Specification(1/9)**

Reference No.	1.1
Name	Admin Request interface
Input	Admin input
Output	Admin request
Process Description	Receive admin input and send admin request to Admin request detection

## **Process Specification(2/9)**

Reference No.	1.2
Name	Print interface
Input	Print request input
Output	Print request signal
Process Description	Receive Print request from user and deliver Char type of User name and text type of file signal to Detection

## **Process Specification(3/9)**

Reference No.	1.3
Name	Stop Sensor Interface
Input	Stop signal input
Output	Stop signal
Process Description	Get the value from "User's computer" or "Network printer". And the vlaue convert s the value to a Boolean type T / F signa l (Stop Signal). And passes the converte d value to Stop detection.

18

## **Process Specification(4/9)**

Reference No.	1.4
Name	Ink Sensor Interface
Input	Ink Sensor input
Output	Ink Sensor signal
Process Description	Get the input value from Printer's ink se nsor and send signal for printer's ink st ate(data?)

19

## **Process Specification(5/9)**

Reference No.	1.5
Name	Paper Sensor Interface
Input	Paper Sensor input
Output	Paper sensor signal
Process Description	Get the input value from Printer's Paper sensor and send signal for printer's pap er state(data)

## **Process Specification(6/9)**

Reference No.	1.6
Name	Admin request detection
Input	Admin request
Output	Admin request
Process Description	Receive admin request and send admin request to Admin request data store

## **Process Specification(7/9)**

Reference No.	1.7
Name	Print Detection
Input	Print request signal
Output	Print request info
Process Description	Stores the data received in the Print request to Print request data store

22

## **Process Specification(8/9)**


Reference No.	1.8
Name	Stop Detection
Input	Stop signal
Output	Stop status
Process Description	If the inputed data equal to the stop command, and stores 1 in the 'S'. However, if the inputed data is different from the stop command, and stores 0 in the 'S'. ('S' is "int" type data store.)

## **Process Specification(9/9)**

Reference No.	1.9
Name	Ink & Paper Detection
Input	Ink Sensor signal, Paper Sensor signal
Output	Ink & Paper state
Process Description	Store data for printer's ink state and p aper state in the 'I&P' ('I&P' is data stor e)

## **Data Dictionary**

Input/Output Event	Description	Format / Type
Admin request	Receive the data from the administor's computer(delete/regist).	T/F, interrupt
Print request signal	include user information and include content, number of character, number of page	Double, String
stop signal	Detects click of the stop button.	T/F, interrupt
Ink sensor signal	Recive the ink's amount from the ink's sensor	0~3000, interrupt
Paper sensor signal	Recive the ink's amount from the ink's sensor	0~100, interruput
Admin request	Store the data from the administor's c omputer (delete/regist).	Double, String
print request data	Store user information and include content, number of character, number of page	Double, String
stop data	Save Stop signal state	T/F, interrupt
ink & paper data	Store ink state and paper state	
user DB	Store list of user that registered by ad min	String 25



## **Process Specification(1/4)**

Reference No.	2.1
Name	Admin Control
Input	Admin Request, Ink & Paper data, User DB
Output	User DB, Ink & Paper data, PC Screen, Scre
	en
Process Description	Processes the admin request and executes the desired command
	the desired communa

21

## **Process Specification(2/5)**

Reference No.	2.3
Name	Open User list
Input	Tick
Output	User DB data
Process Description	Display user list

## **Process Specification(3/5)**

Reference No.	2.4
Name	Remove User
Input	User Data
Output	Removed user data
Process Description	Processes the admin request and executes the desired command

## **Process Specification(4/5)**

Reference No.	2.5
Name	Register User
Input	User Data
Output	Register user data
Process Description	This process adds a new user in the datab ase. The user data is given in the input.


## **Process Specification(5/5)**

Reference No.	2.6
Name	Refill Ink & Paper
Input	Ink & Paper amount
Output	Screen command, Print command
Process Description	This process creates a request to unlock the printer and displays it on the screen.

**Data Dictionary** 

Data Dictionally		
Input/Output Event	Description	Format/ Typ e
Admin request	Store the data from the administor's computer(delete/regist).	Double, String
Paper & Ink amount	Store paper state and ink state	double
Print request data	Store user's request (user information and include con tent, number of character, number of page)	Double, String
User DB	Store list of user that registered by admin	String
Screen Command	Command to display state at screen	Double, String
Printer Command	Commands to print user's request	Double, String
PC screen Command	Command to display state at user's screen	Double, String

#### **DFD Level 3-2**



## **Process Specification(1/3)**

Reference No.	2.2
Name	Print Control
Input	Print request data, Stop data, Ink & Paper data User DB
Output	Request of Print, Request of Stop
Process Description	Receive each data and determine the condition, and send to stop interface and screen interface.

## **Process Specification(2/3)**

Reference No.	2.7
Name	Stop interface
Input	Request of Stop
Output	Screen command, Print command, PC screen command(Stop Status)
Process Description	If input "stop command", stop the printer and display the stop status at Screen and PC's screen.

## **Process Specification(3/3)**

Reference No.	2.8		
Name	Print		
Input	Request of Print		
Output	Screen command, Printer command, PC screen command		
Process Description	If input "Print command", Turn on the printer and display the print status at Screen and PC's screen.		

36

#### **Data Dictionary**

Input/Output Event	Description	Format/ Type
Admin request	Store the data from the administor's computer( delete/regist).	Double, String
Paper & Ink amount	Store paper state and ink state	Double
Print request data	Store user's request (user information and inclu de content, number of character, number of pag e)	Double, String
User DB	Store list of user that registered by admin	String
Screen Command	Command to display state at screen	Double, String
Printer Command	Commands to print user's request	Double, String
PC screen Command	Command to display state at user's screen	Double, String

# State Transition Diagram - STD Admin Control 2.1

#### Admin Control Remove Tick [AR=="Remove User"] Refill User Tick [AR=="Refill Paper"] /Trigger "Refill Paper" /Trigger "Remove User" Paper Tick Tick Wait Tick [AR=="Refill Ink"] Tick [AR == "Register User"] /Trigger \*Register User /Trigger "Refill Ink" Tick Tick Register Tick Refill Ink User Tick [AR == "Open User List"] /Trigger "Open User List" Open User


List

AR = Admin Request

#### **State Transition Diagram**

- STD Print Control 2.2

Printer Control



INUDB = In User DB INKEPT = (Amount of Ink)-(Real need Ink)>=0 PPEPT = (Amount of paper) – (Real need paper)>=0 CLKSTB = Click the Stop button

