

# Unit Test Report for POS System

- Test Cases Specification
- Test Summary Report

**Project Team**

**Team 5**

Latest update on:

**2017-11-06**

---

**Team Information**

**201211355 손지웅**

**201610401 손하영**

**201611303 조정익**

## Table of Contents

1	Introduction .....	3
1.1	Objectives.....	3
1.2	References.....	3
2	Unit test case specification.....	3
2.1	Test case specification identifier.....	3
2.2	Test items .....	13
2.3	Input specifications.....	13
2.4	Output specifications.....	13
3	Environmental needs.....	13
4	Unit test summary report .....	13
4.1	Test summary report identifier.....	13
4.2	Evaluation.....	24

## 1 Introduction

### 1.1 Objectives

본 문서는 2017년 건국대학교의 소프트웨어공학 개론 강의의 실습과제를 설명한다. 실습 과제는 Point Of Sale (POS) System을 소프트웨어만을 이용한 가상의 시스템으로 구현 하는 것이다.

### 1.2 References

[2017SE\_B][T5]SRA

[2017SE\_B][T5]SDS

## 2 Unit test case specification

### 2.1 Test case specification identifier

Identifier	Input Specification	Output Specification
POS_1.3_000	mode : 1 n: 0	settle_flag: 0 function: Sale Mode
POS_1.3_001	mode : 2 n : 0	settle_flag: 0 function: Quantity Change Mode
POS_1.3_002	mode: 3 n : 0	settle_flag: 1 function: Money Received Mode
POS_1.3_003	mode: 4 n: 1	settle_flag: 0 function: Refund Mode
POS_1.3_004	mode: 4 n: 2	settle_flag: 1 function: NULL
POS_1.3_005	mode: 5 n: 0	settle_flag: 0 function: "Can not check Stock"
POS_1.3_006	mode: 5 n:1	settle_flag = 1 function: Stock Check Mode
POS_1.3_007	mode: 6 n: 0	settle_flag = 0 function: Reselect Mode
POS_1.4_000	temp: 1	1 (Power_on)
POS_1.4_001	temp: 2	0 (Power_off)
POS_2.1_000	barcode: 001	index: 1
POS_2.1_001	barcode: 010	index: 2

POS_2.1_002	barcode: 011	index: 3
POS_2.1_003	barcode: 100	index: 4
POS_2.1_004	barcode: 101	index: 5
POS_2.1_005	barcode: 110	index: 6
POS_2.1_006	barcode: 111	index: 7
POS_2.3_000	index: 1 sale_info_quantity: 0 sale_info_total_price: 0 sale_info_price: 1000 stock_info_quantity: 0	sale_info_quantity: 0 sale_info_total_price: 0 stock_info_quantity: 0 "Sold out"
POS_2.3_001	index: 1 sale_info_quantity: 1 sale_info_total_price: 500 sale_info_price: 1000 stock_info_quantity: 100	sale_info_quantity: 2 sale_info_total_price: 1500 stock_info_quantity: 99 "Sale_display"
POS_2.3_002	index: 2 sale_info_quantity: 3 sale_info_total_price: 1000 sale_info_price: 1500 stock_info_quantity: 4	sale_info_quantity: 4 sale_info_total_price: 2500 stock_info_quantity: 3 "Sale_display"
POS_2.3_003	index: 3 sale_info_quantity: 0 sale_info_total_price: 0 sale_info_price: 3000 stock_info_quantity: 0	sale_info_quantity: 0 sale_info_total_price: 0 stock_info_quantity: 0 "Sold out"
POS_2.3_004	index: 4 sale_info_quantity: 5 sale_info_total_price: 2000 sale_info_price: 500 stock_info_quantity: 50	sale_info_quantity: 6 sale_info_total_price: 2500 stock_info_quantity: 49 "Sale_display"
POS_2.3_005	index: 5 sale_info_quantity: 0 sale_info_total_price: 0 sale_info_price: 800 stock_info_quantity: 0	sale_info_quantity: 0 sale_info_total_price: 0 stock_info_quantity: 0 "Sold out"
POS_2.3_006	index: 6 sale_info_quantity: 10 sale_info_total_price: 5000	sale_info_quantity: 11 sale_info_total_price: 6200 stock_info_quantity: 2

	sale_info_price: 1200 stock_info_quantity: 3	"Sale_display"
POS_2.3_007	index: 7 sale_info_quantity: 0 sale_info_total_price: 0 sale_info_price: 2000 stock_info_quantity: 0	sale_info_quantity: 0 sale_info_total_price: 0 stock_info_quantity: 0 "Sold out"
POS_2.4_000	index: 1 recv_money: 4000 sale_info_total_price: 3000	snd_money: 1000 "Calculate_sale"
POS_2.4_001	index: 2 recv_money: 4000 sale_info_total_price :5000	snd_money: 0 "Received Money deffeceincy"
POS_2.4_002	index: 3 recv_money: 4000 sale_info_total_price: 2500	snd_money: 1500 "Calculate_sale"
POS_2.4_003	index: 4 recv_money: 4000 sale_info_total_price: 6000	snd_money: 0 "Received Money deffeceincy"
POS_2.4_004	index: 5 recv_money: 9000 sale_info_total_price: 5000	snd_money: 4000 "Calculate_sale"
POS_2.4_005	index: 6 recv_money: 2000 sale_info_total_price: 8000	snd_money: 0 "Received Money defficeincy"
POS_2.4_006	index: 7 recv_money: 4500 sale_info_total_price: 3300	snd_money: 1200 "Calculate_sale"
POS_2.5.1_000	index: 1 sale_info_quantity: 1 sale_info_total_price: 500 sale_info_price: 1000 stock_info_quantity: 100	sale_quantity: 2 sale_total_price: 1500 stock_quantity: 99 "Sale_display"
POS_2.5.1_001	index: 2 sale_info_quantity: 3 sale_info_total_price : 1000 sale_info_price: 1500 stock_info_quantity: 4	sale_quantity: 4 sale_total_price: 2500 stock_quantity: 3 "Sale_display"

POS_2.5.1_002	index: 3 sale_info_quantity: 0 sale_info_total_price : 0 sale_info_price: 3000 stock_info_quantity: 12	sale_quantity: 1 sale_total_price: 3000 stock_quantity: 11 "Sale_display"
POS_2.5.1_003	index: 4 sale_info_quantity: 5 sale_info_total_price: 2000 sale_info_price: 500 stock_info_quantity: 50	sale_quantity: 6 sale_total_price: 2500 stock_quantity: 49 "Sale_display"
POS_2.5.1_004	index: 5 sale_info_quantity: 4 sale_info_total_price: 0 sale_info_price: 800 stock_info_quantity: 20	sale_quantity: 5 sale_total_price: 800 stock_quantity: 19 "Sale_display"
POS_2.5.1_005	index: 6 sale_info_quantity: 10 sale_info_total_price: 5000 sale_info_price: 1200 stock_info_quantity: 3	sale_quantity: 11 sale_total_price: 6200 stock_quantity: 2 "Sale_display"
POS_2.5.1_006	index: 7 sale_info_quantity: 8 sale_info_total_price: 0 sale_info_price: 2000 stock_info_quantity: 10	sale_quantity: 9 sale_total_price: 2000 stock_quantity: 9 "Sale_display"
POS_2.5.1_007	index: 0 sale_info_quantity: 9 sale_info_total_price: 0 sale_info_price: 4000 stock_info_quantity: 5	sale_quantity: 9 sale_total_price: 0 stock_quantity: 5 "Invalid Index"
POS_2.5.2_000	index: 1 sale_info_quantity: 0 sale_info_total_price: 1000 s_r_0_i: 3 s_r_0_7_i: 1500	s_r_0: 3 s_r_0_7: 2500 "sale_display" "database_update" "receipt_list_file" "sale_receipt_print"
POS_2.5.2_001	index: 1 sale_info_quantity: 1	s_r_0: 3 s_r_0_7: 3000

	sale_info_total_price: 1000 s_r_0_i: 2 s_r_0_7_i: 2000	"sale_display" "database_update" "receipt_list_file" "sale_receipt_print"
POS_2.6.1_000	check: 0 barcode: 001 t_barcode: 001 list_data: 0	0
POS_2.6.1_001	check: 1 barcode: 001 t_barcode: 001 list_data: 0	0
POS_2.6.1_002	check: 0 barcode: 001 t_barcode: 001 list_data: 1	1
POS_2.6.1_003	check: 0 barcode: 001 t_barcode: 010 list_data: 1	2
POS_2.6.1_004	check: 1 barcode: 001 t_barcode: 001 list_data: 1	3
POS_2.6.1_005	check: 1 barcode: 001 t_barcode: 010 list_data: 1	4
POS_2.6.2_000	refund_i_quantity : 0 refund_i_name : "snack" stock_k_quantity : 2 stock_k_name: "water"	stock_k_quantity: 2 함수 호출
POS_2.6.2_001	refund_i_quantity : 1 refund_i_name : "snack" stock_k_quantity: 2 stock_k_name : "snack"	stock_k_quantity: 3 함수 호출
POS_2.6.2_002	refund_i_quantity : 1 refund_i_name "snack"	stock_k_quantity: 2 함수 호출

	stock_k_quantity: 2 stock_k_name "water"	
POS_2.7.1_000	settle_flag: 0	0
POS_2.7.1_001	settle_flag: 1	1
POS_3.1.4_000	index : 1 sale_info_rcv_money: 1000 sale_info_snd_money: 2000 sale_info_s_arr[index].name: "snack" sale_info_s_arr[index].quantity: 0 sale_info_s_arr[index].price: 1000 sale_info_total_price: 5000	화면 출력
POS_3.1.4_001	index : 1 sale_info_rcv_money: 1000 sale_info_snd_money: 2000 sale_info_s_arr[index].name: "snack" sale_info_s_arr[index].quantity: 1 sale_info_s_arr[index].price : 1000 sale_info_total_price: 5000	화면 출력
POS_3.1.5_000	index: 1 stock_info_s_arr[index].quantity: 0 stock_info_s_arr[index].name: "snack" stock_info_s_arr[index].price: 1000	화면 출력
POS_3.1.5_001	index: 1 stock_info_s_arr[index].quantity: 1 stock_info_s_arr[index].name:"snack" stock_info_s_arr[index].price: 1000	화면 출력
POS_3.1.6_000	index l : 1 year1: 2017 month1: 11 day1: 6 hour1: 12 min1: 7 t_price: 4500 refund_info[i].name: "snack" refund_info[i].price: 3000 refund_info[i].quantity: 0	화면 출력
POS_3.1.6_001	index l : 1	화면 출력



	<p>year1 : 2017  month1: 11  day1: 6  hour1: 12  min1: 7  t_price: 4500  refund_info[i].name: "snack"  refund_info[i].price: 3000  refund_info[i].quantity: 1</p>	
POS_3.1.7_000	<p>index l :1  sale_info: 0  sale_info_s_arr[i].quantity: 2  sale_info_s_arr[i].name: "snack"  sale_info_s_arr[i].price: 1000  sale_info_s_arr[i].total_price: 3500  stock_info_s_arr[i].name: "snack"  stock_info_s_arr[i].price: 1000  stock_info_s_arr[i].quantity: 0  year1: 2017  month1: 11  day1: 6  hour1: 12  min1: 7</p>	화면 출력
POS_3.1.7_001	<p>index l : 1  sale_info: 1  sale_info_s_arr[i].quantity: 2  sale_info_s_arr[i].name: "snack"  sale_info_s_arr[i].price: 1000  sale_info_s_arr[i].total_price : 3500  stock_info_s_arr[i].name: "snack"  stock_info_s_arr[i].price: 1000  stock_info_s_arr[i].quantity: 0  year1: 2017  month1: 11  day1: 6  hour1: 12  min1: 7</p>	화면 출력
POS_3.1.7_002	<p>index l =1  sale_info: 1</p>	화면 출력

	<p>sale_info_s_arr[i].quantity: 2  sale_info_s_arr[i].name: "snack"  sale_info_s_arr[i].price: 1000  sale_info_s_arr[i].total_price: 3500  stock_info_s_arr[i].name: "snack"  stock_info_s_arr[i].price: 1000  stock_info_s_arr[i].quantity: 1  year1: 2017  month1: 11  day1: 6  hour1: 12  min1: 7</p>	
POS_3.1.8_000	<p>index I :1  sale_info_s_arr[i].name: "snack"  sale_info_s_arr[i].price: 1000  sale_info_s_arr[i].quantity: 0  sale_info_total_price: 5000  year1 : 2017  month1: 11  day1: 6  hour1: 12  min1: 15</p>	화면 출력
POS_3.1.8_001	<p>index I : 1  sale_info_s_arr[i].name: "snack"  sale_info_s_arr[i].price: 1000  sale_info_s_arr[i].quantity: 1  sale_info_total_price: 5000  year1: 2017  month1: 11  day1: 6  hour1: 12  min1: 15</p>	화면 출력
POS_3.1.9_000	<p>index I :1  refund_info_quantity: 0  refund_info_name: "snack"  refund_info_price: 1000  year1: 2017  month1: 11  day1: 6</p>	화면 출력

	hour1: 12 min1: 17	
POS_3.1.9_001	index l :1 refund_info_quantity: 1 refund_info_name: "snack" refund_info_price: 1000 year1: 2017 month1: 11 day1: 6 hour1: 12 min1:17	화면 출력
POS_3.1.10_000	index l : 1 stock_info_s_arr[i].name: "snack" stock_info_s_arr[i].price: 1000 stock_info_s_arr[i].quantity: 4 year1 : 2017 month1: 11 day1: 6 hour1: 12 min1: 19	화면 출력
POS_3.1.11_000	index l : 1 day1 : 6 month1: 11 year1: 2017 sale_info_temp[i].name: "snack" sale_info_temp[i].price: 1000 sale_info_temp[i].quantity: 0 refund_info_temp[i].name: "snack" refund_info_temp[i].price: 1000 refund_info_quantity: 0 total_sale_price: 2000 total_refund_price: 1000	화면 출력
POS_3.1.11_001	index l : 1 day1: 6 month1: 11 year1: 2017 sale_info_temp[i].name: "snack" sale_info_temp[i].price: 1000	화면 출력

	<p>sale_info_temp[i].quantity: 0  refund_info_temp[i].name: "snack"  refund_info_temp[i].price: 1000  refund_info_quantity: 1  total_sale_price: 2000  total_refund_price: 1000</p>	
POS_3.1.11_002	<p>index l : 1  day1: 6  month1: 11  year1: 2017  sale_info_temp[i].name: "snack"  sale_info_temp[i].price: 1000  sale_info_temp[i].quantity: 1  refund_info_temp[i].name: "snack"  refund_info_temp[i].price: 1000  refund_info_quantity: 0  total_sale_price: 2000  total_refund_price: 1000</p>	화면 출력
POS_3.1.11_003	<p>index l = 1  day1: 6  month1 : 11  year1: 2017  sale_info_temp[i].name: "snack"  sale_info_temp[i].price: 1000  sale_info_temp[i].quantity: 1  refund_info_temp[i].name: "snack"  refund_info_temp[i].price: 1000  refund_info_quantity: 1  total_sale_price:2000  total_refund_price:1000</p>	화면 출력
POS_3.1.12_000	<p>settle_flag: 2  get_time_flag: 0  check: 0  year: 2017  month: 11  day: 6  hour: 3  min: 47  start: 1</p>	<p>check : 0  get_time_flag: 0  update_flag: 0  return int: 0</p>

	end: 100	
POS_3.1.12_001	settle_flag: 1 get_time_flag: 1 check: 1 year: 2017 month: 11 day: 6 hour: 3 min: 47 start: 0 end: 100	check = 0; get_time_flag :0 update_flag 0 return int 2

## 2.2 Test items

<Table 3 Test Design Identification> 참조

## 2.3 Input specifications

<Table 4 Test Case Identification> 참조

## 2.4 Output specifications

<Table 4 Test Case Identification> 참조

## 3 Environmental needs

### (1) Hardware & Platform

gcc complier/linker

### (2) Continuous Testing & Integrated Platform Environment


Cygwin



### (3) Framework



CUnit

## 4 Unit test summary report


### 4.1 Test summary report identifier

Identifier	Result
POS_1.3_000	Passed  <pre> sonhayoung@sonhayoung-VirtualBox: ~ 파일(F) 편집(E) 보기(V) 검색(S) 터미널(T) 도움말(H) sonhayoung@sonhayoung-VirtualBox:~\$ ./1_3  CUnit - A unit testing framework for C - Version 2.1-3 http://cunit.sourceforge.net/  Suite: testing a suite Test: POS_1.3_000() ...passed Test: POS_1.3_001() ...passed Test: POS_1.3_002() ...passed Test: POS_1.3_003() ...passed Test: POS_1.3_004() ...passed Test: POS_1.3_005() ...passed Test: POS_1.3_006() ...passed Test: POS_1.3_007() ...passed  Run Summary:   Type      Total   Ran  Passed  Failed  Inactive   suites     1       1    n/a     0       0   tests      8       8     8       0       0   asserts   14      14    14      0       n/a  Elapsed time = 0.000 seconds sonhayoung@sonhayoung-VirtualBox:~\$ </pre>
POS_1.3_001	Passed
POS_1.3_002	Passed
POS_1.3_003	Passed
POS_1.3_004	Passed
POS_1.3_005	Passed
POS_1.3_006	Passed
POS_1.3_007	Passed
POS_1.4_000	Passed



	 <pre> sonhayoung@sonhayoung-VirtualBox: ~ 파일(F) 편집(E) 보기(V) 검색(S) 터미널(T) 도움말(H)    suites      1      1  n/a      0      0   tests       2      2      1      1      0   asserts     2      2      1      1     n/a  Elapsed time = 0.000 seconds sonhayoung@sonhayoung-VirtualBox:~\$ gcc -o 1_4_1_4.c -lcunit sonhayoung@sonhayoung-VirtualBox:~\$ ./1_4    CUnit - A unit testing framework for C - Version 2.1-3   http://cunit.sourceforge.net/  Suite: testing a suite   Test: POS_1.4_000() ...passed   Test: POS_1.4_001() ...passed  Run Summary:  Type  Total   Ran Passed Failed Inactive   suites      1      1  n/a      0      0   tests       2      2      2      0      0   asserts     2      2      2      0     n/a  Elapsed time = 0.000 seconds sonhayoung@sonhayoung-VirtualBox:~\$ </pre>
<p>POS_1.4_001</p>	<p>Passed</p>
<p>POS_2.1_000</p>	 <pre> sonhayoung@sonhayoung-VirtualBox: ~ 파일(F) 편집(E) 보기(V) 검색(S) 터미널(T) 도움말(H)  sonhayoung@sonhayoung-VirtualBox:~\$ gcc -o 2_1_2_1.c -lcunit sonhayoung@sonhayoung-VirtualBox:~\$ ./2_1    CUnit - A unit testing framework for C - Version 2.1-3   http://cunit.sourceforge.net/  Suite: testing a suite   Test: POS_2.1_000() ...passed   Test: POS_2.1_001() ...passed   Test: POS_2.1_002() ...passed   Test: POS_2.1_003() ...passed   Test: POS_2.1_004() ...passed   Test: POS_2.1_005() ...passed   Test: POS_2.1_006() ...passed  Run Summary:  Type  Total   Ran Passed Failed Inactive   suites      1      1  n/a      0      0   tests       7      7      7      0      0   asserts     7      7      7      0     n/a  Elapsed time = 0.000 seconds sonhayoung@sonhayoung-VirtualBox:~\$ </pre>
<p>POS_2.1_001</p>	<p>Passed</p>
<p>POS_2.1_002</p>	<p>Passed</p>
<p>POS_2.1_003</p>	<p>Passed</p>
<p>POS_2.1_004</p>	<p>Passed</p>
<p>POS_2.1_005</p>	<p>Passed</p>
<p>POS_2.1_006</p>	<p>Passed</p>

<p>POS_2.3_000</p>	<p>Passed</p>  <pre> sonhayoung@sonhayoung-VirtualBox: ~ 파일(F) 편집(E) 보기(V) 검색(S) 터미널(T) 도움말(H) sonhayoung@sonhayoung-VirtualBox:~\$ ./2_3  CUnit - A unit testing framework for C - Version 2.1-3 http://cunit.sourceforge.net/  Suite: testing a suite Test: POS_2.3_000() ...passed Test: POS_2.3_001() ...passed Test: POS_2.3_002() ...passed Test: POS_2.3_003() ...passed Test: POS_2.3_004() ...passed Test: POS_2.3_005() ...passed Test: POS_2.3_006() ...passed Test: POS_2.3_007() ...passed  Run Summary:   Type  Total  Ran  Passed  Failed  Inactive suites   1     1   n/a     0       0 tests    8     8    8       0       0 asserts  32    32   32      0       n/a  Elapsed time = 0.000 seconds sonhayoung@sonhayoung-VirtualBox:~\$ </pre>
<p>POS_2.3_001</p>	<p>Passed</p>
<p>POS_2.3_002</p>	<p>Passed</p>
<p>POS_2.3_003</p>	<p>Passed</p>
<p>POS_2.3_004</p>	<p>Passed</p>
<p>POS_2.3_005</p>	<p>Passed</p>
<p>POS_2.3_006</p>	<p>Passed</p>
<p>POS_2.3_007</p>	<p>Passed</p>
<p>POS_2.4_000</p>	<p>Passed</p>  <pre> sonhayoung@sonhayoung-VirtualBox: ~ 파일(F) 편집(E) 보기(V) 검색(S) 터미널(T) 도움말(H) sonhayoung@sonhayoung-VirtualBox:~\$ gcc -o 2_4_2_4.c -lcunit sonhayoung@sonhayoung-VirtualBox:~\$ ./2_4  CUnit - A unit testing framework for C - Version 2.1-3 http://cunit.sourceforge.net/  Suite: testing a suite Test: POS_2.4_000() ...passed Test: POS_2.4_001() ...passed Test: POS_2.4_002() ...passed Test: POS_2.4_003() ...passed Test: POS_2.4_004() ...passed Test: POS_2.4_005() ...passed Test: POS_2.4_006() ...passed  Run Summary:   Type  Total  Ran  Passed  Failed  Inactive suites   1     1   n/a     0       0 tests    7     7    7       0       0 asserts  14    14   14      0       n/a  Elapsed time = 0.000 seconds sonhayoung@sonhayoung-VirtualBox:~\$ </pre>
<p>POS_2.4_001</p>	<p>Passed</p>
<p>POS_2.4_002</p>	<p>Passed</p>
<p>POS_2.4_003</p>	<p>Passed</p>
<p>POS_2.4_004</p>	<p>Passed</p>



POS_2.4_005	Passed
POS_2.4_006	Passed
POS_2.5.1_000	<p>passed</p>  <pre> sonhayoung@sonhayoung-VirtualBox: ~ 파일(F) 편집(E) 보기(V) 검색(S) 터미널(T) 도움말(H) sonhayoung@sonhayoung-VirtualBox:~\$ ./2_5_1  CUnit - A unit testing framework for C - Version 2.1.3 http://cunit.sourceforge.net/  Suite: testing a suite Test: POS_2.5.1_000() ...passed Test: POS_2.5.1_001() ...passed Test: POS_2.5.1_002() ...passed Test: POS_2.5.1_003() ...passed Test: POS_2.5.1_004() ...passed Test: POS_2.5.1_005() ...passed Test: POS_2.5.1_006() ...passed Test: POS_2.5.1_007() ...passed  Run Summary:  Type  Total   Ran  Passed  Failed  Inactive               suites   1     1   n/a     0       0               tests    8     8     8     0       0               asserts  32    32    32     0     n/a  Elapsed time =  0.000 seconds sonhayoung@sonhayoung-VirtualBox:~\$ </pre>
POS_2.5.1_001	passed
POS_2.5.1_002	passed
POS_2.5.1_003	passed
POS_2.5.1_004	passed
POS_2.5.1_005	passed
POS_2.5.1_006	passed
POS_2.5.1_007	passed
POS_2.5.2_000	passed

	<pre> sonhayoung@sonhayoung-VirtualBox: ~ 파일(F) 편집(E) 보기(V) 검색(S) 터미널(T) 도움말(H)    suites      1      1  n/a      0      0   tests       2      2    1      1      0   asserts     12     12   11      1     n/a  Elapsed time = 0.000 seconds sonhayoung@sonhayoung-VirtualBox:~\$ gcc -o 2_5_2_2_5_2.c -lcunit sonhayoung@sonhayoung-VirtualBox:~\$ ./2_5_2    CUnit - A unit testing framework for C - Version 2.1-3   http://cunit.sourceforge.net/  Suite: testing a suite   Test: POS_2.5.2_000() ...passed   Test: POS_2.5.2_001() ...passed  Run Summary:  Type  Total   Ran  Passed  Failed  Inactive               suites   1     1  n/a     0       0               tests    2     2    2     0       0               asserts  12    12   12     0     n/a  Elapsed time = 0.000 seconds sonhayoung@sonhayoung-VirtualBox:~\$ </pre>
<p>POS_2.5.2_001</p>	<p>passed</p>
<p>POS_2.6.1_000</p>	<pre> sonhayoung@sonhayoung-VirtualBox: ~    CUnit - A unit testing framework for C - Version 2.1-3   http://cunit.sourceforge.net/  Suite: testing a suite   Test: POS_2.6.1_000() ...  Casher Screen Display Can not Refund this Receipt passed   Test: POS_2.6.1_001() ...  Casher Screen Display Can not Refund this Receipt passed   Test: POS_2.6.1_002() ...  Casher Screen Display Can not Refund this Receiptpassed   Test: POS_2.6.1_003() ...passed   Test: POS_2.6.1_004() ...passed   Test: POS_2.6.1_005() ...passed  Run Summary:  Type  Total   Ran  Passed  Failed  Inactive               suites   1     1  n/a     0       0               tests    6     6    6     0       0               asserts   6     6    6     0     n/a  Elapsed time = 0.000 seconds sonhayoung@sonhayoung-VirtualBox:~\$ █ </pre>
<p>POS_2.6.1_001</p>	<p>passed</p>
<p>POS_2.6.1_002</p>	<p>passed</p>
<p>POS_2.6.1_003</p>	<p>passed</p>
<p>POS_2.6.1_004</p>	<p>passed</p>
<p>POS_2.6.1_005</p>	<p>passed</p>
<p>POS_2.6.2_000</p>	<p>passed</p>

	 <pre> sonhayoung@sonhayoung-VirtualBox: ~       tests      3      3      2      1      0       asserts    6      6      5      1     n/a  Elapsed time = 0.000 seconds sonhayoung@sonhayoung-VirtualBox:~\$ gcc -o 2_6_2 2_6_2.c -lcunit sonhayoung@sonhayoung-VirtualBox:~\$ ./2_6_2  CUnit - A unit testing framework for C - Version 2.1-3 http://cunit.sourceforge.net/  Suite: testing a suite Test: POS_2.6.2_000() ...passed Test: POS_2.6.2_001() ...passed Test: POS_2.6.2_002() ...passed  Run Summary:  Type  Total   Ran Passed Failed Inactive               suites  1     1   n/a    0     0               tests   3     3     3     0     0               asserts  6     6     6     0     n/a  Elapsed time = 0.000 seconds sonhayoung@sonhayoung-VirtualBox:~\$ </pre>
<p>POS_2.6.2_001</p>	<p>passed</p>
<p>POS_2.6.2_002</p>	<p>passed</p>
<p>POS_2.7.1_000</p>	 <pre> sonhayoung@sonhayoung-VirtualBox: ~ sonhayoung@sonhayoung-VirtualBox:~\$ gcc -o 2_7_1 2_7_1.c -lcunit sonhayoung@sonhayoung-VirtualBox:~\$ ./2_7_1  CUnit - A unit testing framework for C - Version 2.1-3 http://cunit.sourceforge.net/  Suite: testing a suite Test: POS_2.7.1_000() ...passed Test: POS_2.7.1_001() ...passed  Run Summary:  Type  Total   Ran Passed Failed Inactive               suites  1     1   n/a    0     0               tests   2     2     2     0     0               asserts  2     2     2     0     n/a  Elapsed time = 0.000 seconds sonhayoung@sonhayoung-VirtualBox:~\$ </pre>
<p>POS_2.7.1_001</p>	<p>passed</p>
<p>POS_3.1.4_000</p>	<p>Passed</p>

	<pre> :1 Casher Screen Display Total Sale Money          5000 Receive Money              1000 Send Money                 2000  Client Screen Display Total Sale Money          5000 Receive Money              1000 Send Money                 2000 </pre>
POS_3.1.4_001	<pre> Passed :2 Casher Screen Display Total Sale Money          5000 Receive Money              1000 Send Money                 2000 snack      quantity : 1 / price : 1000 / sum_price : 1000  Client Screen Display Total Sale Money          5000 Receive Money              1000 Send Money                 2000 </pre>
POS_3.1.5_000	<pre> Passed :3 Casher Screen Display </pre>
POS_3.1.5_001	<pre> Passed Casher Screen Display snack      quantity : 1 / price : 1000 </pre>
POS_3.1.6_000	Passed

	<pre> :5 Casher Screen Display Date          2017.11.06 12:07 Total Refund Money          4500  Client Screen Display Date          2017.11.06 12:07 Total Refund Money          4500         </pre>
<p>POS_3.1.6_001</p>	<p>Passed</p> <pre> :6 Casher Screen Display Date          2017.11.06 12:07 Total Refund Money          4500 snack          quantity : 3000 / price : 1 / sum_price : 3000  Client Screen Display Date          2017.11.06 12:07 Total Refund Money          4500         </pre>
<p>POS_3.1.7_000</p>	<p>Passed</p> <pre> :7 make_stock_file part 20171106_product.txtDate : 2017.11.06 (년 .월 .일 ) Sale Product Name, Price, Quantity snack, 1000, 0         </pre>
<p>POS_3.1.7_001</p>	<p>Passed</p> <pre> :8 make_stock_file part 20171106_product.txtDate : 2017.11.06 (년 .월 .일 ) Sale Product Name, Price, Quantity snack, 1000, 0 sale_list_file part 20171106_sale_management.txtReceipt Num : 2017.11.06.12.07 (년 .월 .일 .시 .분 ) Date : 2017.11.06 (년 .월 .일 ) Sale Product Name, Price, Quantity, Sum_price snack, 1000, 2, 2000 Total Sale price : 3500         </pre>
<p>POS_3.1.7_002</p>	<p>Passed</p>

	<pre> :9 make_stock_file part 20171106_product.txtDate : 2017.11.06 (년.월.일) Sale Product Name, Price, Quantity snack, 1000, 1 sale_list_file part 20171106_sale_management.txtReceipt Num : 2017.11.06.12.07 (년.월.일.시.분) Date : 2017.11.06 (년.월.일) Sale Product Name, Price, Quantity, Sum_price snack, 1000, 2, 2000 Total Sale price : 3500                     </pre>
POS_3.1.8_000	<pre> Passed :10 sale_201711061215.txtReceipt Num : 2017.11.06.12.15 (년.월.일.시.분) Date : 2017.11.06 (년.월.일) Sale Product Total Sale Price : 5000                     </pre>
POS_3.1.8_001	<pre> Passed :11 sale_201711061215.txtReceipt Num : 2017.11.06.12.15 (년.월.일.시.분) Date : 2017.11.06 (년.월.일) Sale Product Name, Price, Quantity, Sum_price snack, 1000, 1, 1000 Total Sale Price : 5000                     </pre>
POS_3.1.9_000	<pre> Passed :12 refund_201711061217.txtReceipt Num : 2017.11.06.12.17 (년.월.일.시.분) Date : 2017.11.06 (년.월.일) Refund Product Total Refund Price : 0                     </pre>
POS_3.1.9_001	<pre> Passed :13 refund_201711061217.txtReceipt Num : 2017.11.06.12.17 (년.월.일.시.분) Date : 2017.11.06 (년.월.일) Refund Product Name, Price, Quantity, Sum_price snack, 1000, 1, 1000 Total Refund Price : 1000                     </pre>
POS_3.1.10_000	<pre> Passed :14 stock_20171106.txtDate : 2017.11.06.12.19 (년.월.일.시.분) Name, Price, Quantity snack, 1000, 4                     </pre>
POS_3.1.11_000	<pre> Passed                     </pre>

	<pre> :15 settle_20171106.txtDate : 2017.11.06 (년 .월 .일 ) Sale Product Total Sale Price : 2000  Refund Product Total Refund Price : 1000 </pre>
POS_3.1.11_00 1	<pre> Passed :16 settle_20171106.txtDate : 2017.11.06 (년 .월 .일 ) Sale Product Total Sale Price : 2000  Refund Product Name, Price, Quantity, Sum_price snack, 1000, 1, 1000 Total Refund Price : 1000 </pre>
POS_3.1.11_00 2	<pre> Passed :17 settle_20171106.txtDate : 2017.11.06 (년 .월 .일 ) Sale Product Name, Price, Quantity, Sum_price snack, 1000, 1, 1000 Total Sale Price : 2000  Refund Product Total Refund Price : 1000 </pre>
POS_3.1.11_00 3	<pre> Passed :18 settle_20171106.txtDate : 2017.11.06 (년 .월 .일 ) Sale Product Name, Price, Quantity, Sum_price snack, 1000, 1, 1000 Total Sale Price : 2000  Refund Product Name, Price, Quantity, Sum_price snack, 1000, 1, 1000 Total Refund Price : 1000 </pre>
POS_3.1.12_00 0	Passed

	<pre> sonhayoung@sonhayoung-VirtualBox: ~ 파일(F) 편집(E) 보기(V) 검색(S) 터미널(T) 도움말(H)       suites      1      1      n/a      0      0       tests       8      8        2      6      0       asserts    32     32     21     11     n/a  Elapsed time = 0.000 seconds sonhayoung@sonhayoung-VirtualBox:~\$ gcc -o 3_1_12 3_1_12.c -lcunit sonhayoung@sonhayoung-VirtualBox:~\$ ./3_1_12  CUnit - A unit testing framework for C - Version 2.1-3 http://cunit.sourceforge.net/  Suite: testing a suite   Test: POS_3.1.12_000() ...passed   Test: POS_3.1.12_001() ...passed  Run Summary:   Type  Total   Ran  Passed  Failed  Inactive       suites      1     1    n/a     0     0       tests       2     2     2     0     0       asserts     8     8     8     0     n/a  Elapsed time = 0.000 seconds sonhayoung@sonhayoung-VirtualBox:~\$ </pre>
POS_3.1.12_00 1	Passed

#### 4.2 Evaluation

Total test case: 73개

Passed: 73개

Failed: 0개